Page 1 of 6

Date of issue: 16.12.2019 Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: NIVONA Flüssigentkalker Spezial NIRK 703

Article No.: 390 700 300

Preparation No.: 003 **Registration No.:** n.ap.

UFI - Code: 2ENU-E1M8-F00R-CWNH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: descaler

1.3 Details of the supplier of the safety data sheet

1.3.1 Address of the Company / Supplier:

NIVONA Apparate GmbH, Südwestpark 49, 90449 Nürnberg, Germany Telephone: +49 (0) 911 252 663 - 90, E-Mail: service@nivona.com

1.3.2 Responsible for the data sheet:

CoSiChem AG, Ernst-Lemmer-Straße 23, 35041 Marburg, info@cosichem.de

1.4 Emergency telephone number

Emergency - Telephone of Company / Undertaking National Poisons Information Service Telephone: +49 (0) 911 252 663 - 90 (9:00 – 16:00) Telephone: +44 121 507 4123

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

None.

2.2 Label elements

Classification according to 1272/2008/EC: No.

According to present data no classification and labelling is required according to Regulation (EC) 1272/2008.

Applicable Exemptions:

Signal word(s): Hazard pictogram(s):

Component(s):

H - Phrases:

P - Phrases:

P102: Keep out of reach of children.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352: IF ON SKIN: Wash with plenty of water.

Although this product does not require a hazard warning label, we recommend that the safety advice should be observed.

Additional Markings:

2.3 Other hazards

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

This mixture contains no substances which are assessed to be PBT or vPvB.

Page 2 of 6

Trade Name: NIVONA Flüssigentkalker Spezial NIRK 703

Company / Supplier: NIVONA Apparate GmbH, Südwestpark 49, 90449 Nürnberg, Germany Telephone: +49 (0) 911 252 663 - 90, Date of issue: 16.12.2019 Replaces Data Sheet of: ---

SECTION 3: Composition/information on ingredients

3.1 Substances

n.ap.

3.2 Mixtures

Chemical Characterisation:

Mixture aqueous solution

Dangerous Ingredients:

Material CAS - No. Hazard Code(s) /	Index - No. H - phrases	EC - No.	REACH - No.	m% - range
Sulphamidic acid 5329-14-6 Eye Irrit. 2; H319 /	016-026-00-0 Skin Irrit. 2; H315 / Aqua	226-218-8 itic Chronic 3; H412	01-2119488633-28-xxxx	1 - 10%
2,2´-(Octadec-9-enylimino)bisethanol 25307-17-9 n.av. 246-807-3 n.av. Acute Tox. 4; H302 / Skin Corr. 1; H314 / Aquatic Acute 1; H400				

Text of H - phrases: see section 16 m% - range: $x - y \triangleq x \ge - < y$

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1.1 Inhalation:

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

If symptoms persist, call a physician.

4.1.2 **Skin Contact:**

Rinse with water. If symptoms persist, call a physician.

4.1.3 Eye Contact:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

4.1.4 **Ingestion:**

Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting.

Call a physician immediately. Show this safety data sheet to the doctor in attendance.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable Extinguishing Media:

Use dry chemical, CO₂, water spray or "alcohol" foam.

5.1.2 Extinguishing Media to Avoid:

None.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon oxides nitrogen oxides (NO_x) sulphur oxides oxides of phosphorus ammonia.

5.3 Advice for firefighters

5.3.1 Special Protective Equipment:

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Page 3 of 6

Trade Name: NIVONA Flüssigentkalker Spezial NIRK 703

Company / Supplier: NIVONA Apparate GmbH, Südwestpark 49, 90449 Nürnberg, Germany Telephone: +49 (0) 911 252 663 - 90, Date of issue: 16.12.2019 Replaces Data Sheet of: ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See chapter 8.2.2

Contaminated surfaces will be extremely slippery.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Prevent spreading over a wide area (e.g. by containment or oil barriers). Soak up with inert absorbent material (e.g. sand, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 **Precautions for Safe Handling:**

Avoid contact with skin and eyes. When using, do not eat, drink or smoke.

Wash hands before breaks and at the end of workday. Take off all contaminated clothing immediately.

When diluting, always add the product to water. Never add water to the product.

7.1.2 Precautions in Case of Fire and Explosion:

Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Storage Instructions:

Keep containers tightly closed in a cool, well-ventilated place. Avoid subsoil penetration.

7.2.2 Store away from:

Do not store together with oxidizing agents bases.

7.2.3 Further Information on Storage Conditions:

None.

7.3 Specific end use(s)

n.av.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Material Limit Value

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery.

8.2.2 Individual protection measures

8.2.2a **Respiratory Protection:** Not required under normal use.

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2b **Hand Protection:** Repeated or prolonged exposure: Protective gloves complying with EN 374.

Butyl-rubber neoprene (0,4 mm) break through time > 8 h

The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the

producer of the protective glove.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion, and the contact time.

8.2.2c **Eye Protection:** In case of contact through splashing: safety glasses

8.2.2d **Skin Protection**: None.

8.2.2e **Further Information:** Observe wearing time limits:

8.2.3 Environmental exposure controls:

n.av.

Page 4 of 6

Trade Name: NIVONA Flüssigentkalker Spezial NIRK 703

Company / Supplier: NIVONA Apparate GmbH, Südwestpark 49, 90449 Nürnberg, Germany Telephone: +49 (0) 911 252 663 - 90, Date of issue: 16.12.2019 Replaces Data Sheet of: ---

SECTION 9: Physical and chemical properties

9.1	IIIIOHIIIAHOH	เบเเ มสรห	. เมเงรแล	l and chemica	i biobeides
			, p, cc.		p. op ooo

9.1.1 Form: liquid Colour: colourless Odour: characteristic

n.av.

Odour threshold: n.av.

9.1.2 pH-value, undiluted: < 1 pH-value, 1% aqueous solution: n.av.

9.1.3 Boiling point / Boiling - range (°C): n.av., Melting point / Melting range (°C): n.av.

9.1.4 Flash point (°C): n.ap., closed cup

9.1.5 Flammability (EEC A10/A13): No.
9.1.6 Ignition temperature (°C): n.av.
9.1.7 Autoflammability (EEC A16): n.av.
9.1.8 Oxidising properties: No.
9.1.9 Explosion hazard: No.

9.1.10 Explosion limits (Vol.%) lower: n.av., upper: n.av.

9.1.11 Vapour pressure: n.av. Vapour density (Air = 1): n.av. 9.1.12 Density (g/ml): ~ 1 9.1.13 Solubility (in Water): miscible 9.1.14 Partition coefficient, n-Octanol / Water: n.av. 9.1.15 Viscosity: n.av. 9.1.16 Solvent content (m %): n.ap. 9.1.17 Thermal decomposition (°C): n.av.

9.1.18 Evaporation rate:9.2 Other information

n.av.

SECTION 10: Stability and reactivity

10.1 **Reactivity**

No information available.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

No conditions to be specially mentioned.

10.5 Incompatible materials

Incompatible with oxidizing agents strong bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

To avoid thermal decomposition, do not overheat.

Page 5 of 6

Trade Name: NIVONA Flüssigentkalker Spezial NIRK 703

Company / Supplier: NIVONA Apparate GmbH, Südwestpark 49, 90449 Nürnberg, Germany Telephone: +49 (0) 911 252 663 - 90, Date of issue: 16.12.2019 Replaces Data Sheet of:

SECTION 11: Toxicological information

Information on toxicological effects

Acute Health Effects:

Inhalation:

Ingestion: Sulphamidic acid: LD₅₀/oral/rat: 3160 mg / kg (RTECS)

Skin Contact: n.av. Skin corrosion / irritation: None.

Serious eye damage / irritation: None (OECD 437)1)

Respiratory or skin sensitisation: Nο Germ cell mutagenicity: n av Carcinogenicity: n.av. Reproductive toxicity: n av STOT-single exposure: n.av. STOT-repeated exposure: n.av. Aspiration hazard: n av

11.1.1 - Practical Experience

11.1.11 n.av.

11.1.12 Practical Experience

Observations relevant for classification:

None

Further Observations:

Information given is based on data obtained from similar substances.

Classification of the preparation has been done by calculation in accordance with EEC directives.

SECTION 12: Ecological information

Toxicity 12.1

We have no quantitative data concerning the ecological effects of this product.

Sulphamidic acid: Fathead minnows LC₅₀/96h = 14,2 mg/l / 70,3 mg/l

12.2 Persistence and degradability

No data is available on the product itself.

Solutions with low pH-value must be neutralized before discharge.

Bioaccumulative potential 12.3

n.av.

12.4 Mobility in soil

n.av.

12.5 Results of PBT and vPvB assessment

This mixture contains no substances which are assessed to be PBT or vPvB.

12.6 Other adverse effects

12.6.1 COD-Value, mg/g: n.av. BOD5-Value, mg/g: 12.6.2 n.av.

12.6.3 AOX-Remarks: Not applicable. 12.6.4 Significant Components: Amidosulfonsäure 12.6.5 Other adverse effects: Not applicable.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Recommendation: D 10 / R 4 Waste - Code - No.: 20 01 29

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

In addition comply with the regional authorities.

13.2 Contaminated Packaging

Recommendation: Wash with suitable cleaner. Otherwise as described under Residues. 13.2.1

As described under Residues. 13.2.2 Safe Handling:

Safety Data Sheet in Accordance with regulation 2015/830 Page 6 of 6 Trade Name: NIVONA Flüssigentkalker Spezial NIRK 703 Company / Supplier: NIVONA Apparate GmbH, Südwestpark 49, 90449 Nürnberg, Germany Telephone: +49 (0) 911 252 663 - 90, Date of issue: 16.12.2019 Replaces Data Sheet of: SECTION 14: Transport information IMDG ADR IATA Not a dangerous substance as defined in the above regulations.²⁾ The information is based on our own tests. 14.1 **UN number** 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 **Environmental hazards** 14.6 Special precautions for user Transport category: Packing Instructions Classification Code: (Passenger) Hazard - No.: LQ: Packing Instructions (Cargo) 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code SECTION 15: Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment :

n.ap.

SECTION 16: Other information

Text of H phrases mentioned in Section 3

H302: Harmful if swallowed.

- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H400: Very toxic to aquatic life.
- H412: Harmful to aquatic life with long lasting effects.

Literature:

- 1) Study No. 14102705G850 Laus GmbH, Kirrweiler, Germany
- 2) Prüfprogramm Nr. 10, InnoCent International GmbH, Eimeldingen, Germany

This datasheet has been compiled in accordance with EU regulation 2015/830.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by: CoSiChem AG, Ernst-Lemmer-Straße 23, 35041 Marburg, info@cosichem.de, +49 6421 97905 0 Receipt of Data: 04.12.2019, \$ctg_0005_b